

25DL13796

## **CERTIFICATE OF ANALYSIS**

Lot Number:		GJK1124	Arrival Temp (C	:): 24.2
Sample Name:		GREEN JONGKONG B# GJK1124		
Comments:	ICP-MS, Researc	HPLC, & LC-MS/MS testing performed at Harken h.	PO Number:	
	Philadel	ohia, PA 19152	Report Date:	12/03/2024
	8001 Ca	stor Ave,Ste 1	Date Received:	11/18/2024
Client:	Your Lea	af Your Life Inc.	Order Number:	DLSG241118-037

Test	<u>Result</u>	<u>Unit</u>	<b>Reference Method</b>
Total Plate Count	3,000	cfu/g	AOAC 990.12
Total Yeast & Mold Count	<1,000	cfu/g	AOAC 2014.05
Total Coliform Count	<1,000	cfu/g	AOAC 991.14
E. coli O157:H7	Negative	10 g	AOAC-RI 090501
Salmonella spp.	Negative	10 g	AOAC 020502
Arsenic	<0.036	ppm	ICP-MS
Cadmium	<0.023	ppm	ICP-MS
Lead	0.593	ppm	ICP-MS
Mercury	<0.018	ppm	ICP-MS
7-OH-Mitragynine	0.002%		HPLC
Mitragynine	1.569%		HPLC

Prepared By:

Sample Number:

Comments:

Jed Ralinaan

Approved By:

James Coolo

Ambient

Acceptable

Storage Location:

Condition:

## Page 1 of 1

Reports apply only to the sample(s) investigated and is not necessarily indicative of the quality or condition of apparently identical or similar samples, regardless of source or specified lot. All data and report(s) derived from Service(s) is for the exclusive use of the Customer who requested the report and paid for Service(s), and not for public dissemination or use by any other third parties, including for promotional purposes, without the prior written permission of DAL. Measurement Uncertainty (AOAC): Total Plate Count: +/-1.01, Total Rapid Plate Count: +/-1.02, Total Yeast & Mold: +/-1.02, Total Coliform 1.02, Total Enterobacteria +/-1.02 (USP): Total Plate Count: +/-1.11, Total Yeast & Mold: +/-1.17. All measurement uncertainties are displayed as CFU/g (ml). The laboratory is not responsible for sampling. Customer provided information includes: Sample Name(s) and Lot Number(s).